

Application No. 10/821,659

AMENDMENTS TO THE CLAIMS

A detailed listing of all claims that are, or were, in the present application, irrespective of whether the claim(s) remains under examination in the application are presented below. The claims are presented in ascending order and each includes one status identifier. Those claims not cancelled or withdrawn but amended by the current amendment utilize the following notations for amendment: 1. deleted matter is shown by strikethrough for six or more characters and double brackets for five or less characters; and 2. added matter is shown by underlining.

1 - 12. Canceled

13. (Currently Amended) A visual projection device and tamper resistant mounting system for adjustably attaching ~~[[a]]~~ the visual projection device to a suspension member fixedly attached to an overhead structure, the system comprising:

a device interface bracket ~~adapted to be attachable~~ operably coupled to the projection device with a first tamper resistant fastener; and

a suspension member interface portion operably coupled to said device interface bracket, said suspension member interface portion adapted to be attachable to the suspension member with a second tamper resistant fastener, said device interface bracket and said suspension member interface portion being secured together with a third tamper resistant fastener, each of the first, second, and third tamper resistant fasteners having coding for receiving a correspondingly coded tool for installing and removing the fastener, whereby the coding inhibits engagement and removal of the fastener with any tool other than the correspondingly coded tool,

Application No. 10/821,659

the system further comprising an enclosure enclosing said projection device, the device interface bracket, and the suspension member interface portion, said enclosure being attached to said mounting system with at least one tamper resistant fastener.

14. (Currently Amended) The visual projection device and system of claim 13, wherein said enclosure includes an integral surround portion having a top, a bottom, a pair of opposing sides, and a pair of open ends, and a pair of end caps adapted to fit over and close said open ends, each of said pair of end caps being secured to the surround portion with at least one tamper resistant fastener.

15. (Currently Amended) The visual projection device and system of claim 14, further comprising at least one lock and an elongate locking bar having a hooked end and a opposing straight end with an aperture for receiving said lock, wherein one of said end caps has an engaging structure for receiving said hooked end and the other of said end caps has an opening formed therethrough, wherein said locking bar is positionable so that said straight end extends through said opening with the aperture outside of the enclosure when said hooked end is received in said engaging structure, and wherein said locking bar lockably secures said end caps to said surround portion when said lock is received in said aperture in said straight end.

16. (Currently Amended) The visual projection device and system of claim ~~[[13]]~~ 14, wherein said mounting system further comprises at least one elongate suspension member adapted to couple ~~coupling~~ said suspension member interface portion to ~~[[said]]~~ the overhead structure,

Application No. 10/821,659

wherein said top of said surround portion has a elongate slot extending from one of said open ends to proximate the center of said top, and wherein said slot is adapted to fit around said suspension member.

17. (Currently Amended) The visual projection device and system of claim 16, further comprising a clamp engaged with said enclosure, said clamp having a pair of clamping members and at least one tamper resistant fastener operably coupling said pair of clamping members, said clamping members arranged and adapted to clamp said at least one suspension member therebetween when the tamper resistant fastener operably coupling said pair of clamping members is tightened.

18. (Currently Amended) The visual projection device and system of claim 17, wherein said enclosure is attached to said clamp with at least one tamper resistant fastener.

19 - 24. Canceled